Livestock Judging Guide

03

By Neal Smith Extension Area Specialist – 4-H

Module 3:Beef Cattle

Judging Market Steers

Ideal Market Steer:
Weighs 1,100 to 1,250 lbs.
Adequate size & scale:
To carry this weight
Minimum finish
Enough finish to:
Produce high quality carcass
Choice grade
Increase carcass cutability



Ideal Market Steer:
Heavy muscling is desired in:
High-priced cuts
Rib
Loin
Round
Relatively trim middle
Clean fronted



Ideal Market Steer



Steps to Judging Market Steers
Always start at the ground & work up
Then from rear & work forward
Rank animals based on traits of importance
Evaluate most important traits first
Eliminate any easy placings first
Place remaining class based on the volume of important traits

Judging Market Steers C3 Ranking of Traits for Market Steers: C3 Degree of muscling

CS Degree of Finish (fat cover)

Growth capacity

Soundness and structural correctness

Balance

🛯 Frame size

Steers should be:


CS Extra thick, Medium framed & Adequately fininished

Evaluating Degree of Muscling
Thickness through center of rear quarter
Base Width (Standing & Walking)
Muscle expression over the top
"Butterfly" shape down the topline
Crease down the backbone

Thin Muscle



Narrow Base



Average Base

le Thick Muscle



Wide Base

Super Thick



Super Wide

Revaluating Degree of Finish

Goal of Choice grade

Requires enough external fat to achieve adequate intramuscular fat or marbling

Scessive fat:


 \bigcirc Yield grade of 4 or 5


Ideal level of exterior fat is 0.4 to 0.6 inches

Revaluating Degree of Finish


Areas to evaluate degree of finish:

- CR Top line
- R Body depth
- R Brisket
- 🛯 Tailhead
- 🛯 Shoulder






Not Enough Fat



Correct Finish



Full brisket indicates correct amount of finish

Not Enough Finish




Empty brisket indicates lack of finish

Correct Finish



Cod fill indicates correct amount of finish **Excess Finish**




Fat around tailhead indicates too much finish

Revaluating Growth Capacity


Steers are sold by the pound

- Important to maximize feeding capacity
- Look for good:
 Body Width
 Body Depth
 Body length



Revaluating Soundness & Structural Correctness

- C3 Lack of soundness:
- Sound & structurally correct steers will have:
 - Revible, clean & flat joints




Correct Structure

Poor Structure



Long and straight top line, with a long and level rump




Weak topped, with a short and steep rump

Revaluating Balance

Balance is having correct portions of:
Width
Depth
Length
Equal proportions that blend together



Poorly Balanced



Test Your Skills

Place this Class of Market Steers



Official Placing

Official Placing: 2 - 4 - 3 - 1 Cuts: 3 - 5 - 6

